




Smart Bath Changer Instruction Manual

















Due to variation in style and design the illustrations used in this instruction manual are generic.
Variation in design may occur in the images shown.



Supplied by Baby Factory NZ. Ltd.
58 Stonedon Drive
East Tamaki
Auckland
New Zealand
www.babyfactory.co.nz

**IMPORTANT:
RETAIN FOR FUTURE REFERENCE
READ CAREFULLY**

Parts List

 A side panel x2	 B support frame x2	 C changing mat x1	 D changing mat support frame x1
 E base shelf x1	 F bath x1	 G pan trays x3	 H utility holders x2
 I castors x4	 J bolt x8	 K bolt x4	 L drainage hose x1
 M plug x1	 N mesh bag x1	 O tool *not to be assembled x1	

Care

Maintenance

- The correct use and maintenance of this changer is essential.
- This product requires regular maintenance to keep it in good working order.
- Regularly check all parts of the product to ensure that they are operating correctly and for signs of wear or damage.
- All assembly fittings shall always be correctly tightened and checked regularly.
- Do not use this product if any part is broken, torn or missing and use only spares provided by the manufacturer.

Cleaning

- The changer can be cleaned by sponging with warm water.
- Stubborn marks can be removed with a non-abrasive cream cleaner.
- Never clean with abrasive, ammonia based, bleach or spirit type cleaner.
- Ensure the product is fully dry before use or storage.
- Always ensure the bath changer is stored in a dry place to prevent mold or mildew developing.



Safety

- Recommended maximum bath water temperature 37°C.
- Recommended maximum bath duration 10 minutes.
- Babies and young children are at risk of drowning when being bathed.
- Never use this product on an elevated surface not intended for this product.
- To avoid scalding by hot water, position the product in such a way to prevent the child from reaching the source of water.
- Always check the stability of the product before use.
- Never use this product on an elevated surface not intended for this product.
- Always lock the castors when the changer is in use.
- Do not move the changer whilst the unit is in use.
- The basket and middle shelf are capable of supporting up to 2kg maximum of goods, evenly distributed on each level.
- Do not use the changer for a manner it was not designed for.
- Be aware of the risk of open fire and other sources of strong heat, such as electric bar fires, gas fires, etc. in the near vicinity of the changing unit.
- The changer must be used on a level and stable surface.
- This bath tub can be used on the stand up to when the child tries to stand up by itself.
- Always check the attachment and the stability of the bath tub on the stand.
- Do not move the changer when in use.
- Screws shall not be left loose because a child can squeeze parts of the body, or clothing (e.g. strings, necklaces, ribbons for babies, dummies, etc.) could get caught. There would be a danger of strangulation.
- Do not use the changer if any parts seem to be broken or missing.
- Only use spares approved by Babylo International.

This product conforms to BS EN 12221-1:2008 + A1:2013 & EN 17072 : 2018

Assembly


Unpack all contents and check that all parts are present before starting assembly. Please refer to the parts list.

1. Assemble the two support frames (B) to the side panels (A).

1a. Align the support frame with the holes on the left side panel.
NOTE. Ensure the metal rod is on the bottom as illustrated.

1b. Insert bolts (J) through the holes in the left side panel and tighten into the threaded ends of the side frame using supplied tool (O).


1c. Attach the right side panel in the same fashion.



Assembly

2. Turn the changer on its side as shown and assemble the change mat support frame (D) and the change mat (C) to the assembled side panels.
NOTE. There is a small metal rod on one side of the change mat support frame and a "semi-circle" handle on one side of the change mat as illustrated. Ensure these sides are facing the same direction when assembling. This will mark the front of the changer.

2a. Align the change mat support frame with the holes on both side panels.
2b. Hook the change mat (C) metal rod loops onto the ends of the support frame tube.
2c. Then insert the frame into the holes on both side panels.



Safety

⚠️ WARNING! **RETAIN FOR FUTURE REFERENCE** **READ CAREFULLY**

Read these instructions carefully before assembly and use and keep for future reference. The child may be hurt if you do not follow these instructions.

Before using, remove and dispose of any plastic bags and other packaging (e.g. fasteners, fixing ties, etc.) and keep them out of reach of children.

WARNING! Follow the manufacturer's instructions.

WARNING! A child's safety is your responsibility.

WARNING! Never leave the child unattended.

WARNING! The carer shall at all times be in contact with the child.

WARNING! To avoid drowning; always keep child within arms reach.

WARNING! Children burn easily. Always check the temperature of the water before use.

WARNING! The drainage hose should be permanently attached to the bath drainage outlet or stored out of the reach of children.

WARNING! Drowning can occur in a very short time and in very shallow water. Children have drowned in infant bath tubs. Use of this product does not limit the risk of drowning and a child shall at all times be supervised by a responsible adult.

WARNING! DROWNING HAZARD!

- Children have drowned while bathing.
- Children can drown in as little as 2 cm of water in a very short time.
- Always remain in contact with your child during bathing.
- Never leave your baby unattended in the bath, even for a few moments. If you need to leave the room, take the baby with you.
- The changer is suitable for children from birth up to 11kg (approximately 12 months of age).

Using the Bath

WARNING: DO NOT LEAVE THE CHILD UNATTENDED. ALWAYS KEEP THE CHILD WITHIN REACH.

Babies can drown in a very short period of time and in very shallow water (less than 2cm).

Recommended maximum bath water temperature 37°C.

Recommended maximum bath duration 10 minutes.


The changer's bath tub comes complete with a handy drainage hose (L) which can be attached to the outlet on the underside of the bath.

Before placing water in the bath ensure the plug (M) is firmly located in the plug hole on the inside of the bath.

WARNING! When using the bath, care should be taken that the water is of a suitably safe temperature before placing the child in.

WARNING! Do not use the bath without the frame.

WARNING! Ensure two change mat webbing straps are attached to the frame when the bath is in use.




Assembly

2d. Insert 2 x bolts (K) through the holes in the left side panel and tighten into the threaded ends of the side frame using supplied tool (O).

2e. Slip the mesh bag (N) elastic loops onto bolts (K) and attach the right side panel in the same fashion.

2f. Secure the four change mat webbing straps to the frame with press studs.




Assembly

3. Attach the wheels (I) to all four corners of the changer.

3a. Push the wheels firmly into place along the slots provided.

3b. Press down on the pedal to engage the wheel lock. Push the pedal upwards to disengage the lock.


WARNING! Ensure the wheels are locked when using the changer.



4. Attach the base shelf (E).

4a. Place the shelf in position with pattern facing out and wrap the four flaps in and around the two side frame uprights.

4b. Secure with press studs.



Assembly

5a. Join the utility holders (H) together and attach by hooking them over the front of the change top support frame.

5b. Attach the pan trays (G) by hooking each tray over the tops of the two side frames.

5c. Finally the bath (F) can be placed in the top of the changer.

