


IT Istruzioni d'uso
EN Instructions for use
FR Notice d'emploi
DE Gebrauchsanleitung
ES Instrucciones de uso
PT Instruções de uso
NL Gebruiksaanwijzing
DK Brugsanvisning
FI Käyttöohjeet
CZ Návod na použití
SK Návod na použitie
HU Használati útmutató
SL Navodila za uporabo
RU Инструкции по пользованию
TR Kullanım kılavuzu
HR/SRB/MNE/BiH Upute za uporabu
PL Instrukcja obsługi
UA Інструкція з використання
EL Οδηγίες χρήσεως
RO Instrucțiuni de utilizare
BG Инструкции за употреба
AR: تعليمات الاستخدام
FA: دستورالعمل لهای استفاده

PegPerego


pliko mini

1

A




B




2

C






D



3



NO

OK




4





A



B




5




6

A




B




7

A




B




8

A



click


D





B




C




9




10




11




12




13



14




15




16

A




B




17


1



2




3




18


4



5




6




19


7



8



20



EN_English

Thank you for choosing a PegPerego product.



WARNING

IMPORTANT - READ CAREFULLY AND KEEP FOR FUTURE REFERENCE.

The child's safety could be at risk if these instructions are not followed.

- This product was designed for the transport of 1 child in the seat.
- Do not use this product for a number of occupants greater than that intended by the manufacturer. Pliko Mini is suitable from birth up to 22 kg or 4 years, whichever comes first.

WARNING: Always use the restraint system. Always use the five-point safety harness.

Always lock the waist strap with the crotch strap.

- For new born babies is recommended to use the backrest in the most reclined position
- The front bar (if present) has not been designed to support the child's weight; the front bar has not been designed to lift the seat with the child's weight. The front bar does not replace the seat belt.

WARNING Ensure that all the locking devices are engaged before use.

WARNING Check that the pram body or seat unit or car seat attachment devices are correctly engaged before use.

WARNING To avoid injury ensure that the child is kept away when unfolding and folding this product.

WARNING Do not let the child play with this product.

This product is not a toy.

- **WARNING** The assembly and preparation of the product must be carried out by an adult.

- Do not use this product if there are

parts missing or signs of breakage.

WARNING Never leave the child unattended.

- Always apply the brake when stationary and when loading or unloading children.
- Do not insert fingers into the mechanisms.
- Be careful not to hurt the child when adjusting the mechanisms (handlebar, backrest ...).
- Any load applied to the handle and/or the backrest and/or laterally to the product can compromise the stability of the product.
- Do not load the baskets over 5 Kg. Do not put weight in the cup holder (if present) in excess of those indicated on the cup holders themselves and never hot drinks. Do not put loads of more than 0.2 Kg in the hood pockets (if present).
- Do not use the product near to stairs or steps, heat sources, naked flames or dangerous objects within reach of the child.
- Only replacement parts supplied or recommended by the manufacturer/distributor shall be used.
- **WARNING This product is not suitable for running or skating.**
- **WARNING** Do not add any mattress are not approved by the manufacturer.
- Do not use accessories which are not approved by the manufacturer.

The images referring to the textile details may differ from the collection purchased.

For more information, consult our website: www.pegperego.com

INSTRUCTIONS

- 1 **OPENING:** to open the stroller, unhook the left hand side lever (fig_a), hold the handles and at the same time lift the stroller.
Check that the stroller has opened properly by ensuring that the side hooks are well secured (fig_b).
- 2 If the hooks are not secured properly, press the seat downwards (fig_c) until they click into place. Finally, press downwards on PUSH with your foot (fig_d).
- 3 **ASSEMBLING:** to mount the front wheels, firstly check that the washer is present, as shown in the figure, then lower lever A and slip wheel B on until it clicks into place.
- 4 To mount the rear wheels connected by the brake cable, place them with the brake facing externally (fig_a).
WARNING: ensure the hooks have clicked into place, as in figure b.

- 5 Finally, hook the central element of the brake cable onto the chassis, ensuring it clicks into place, as in the figure.
- 6 **BASKET:** to mount the basket, slip the loops over the rear hooks 1 and 2 and the front hook 3 (fig_a).
ADJUSTING THE HANDLES: the height of the handles can be adjusted. Press the little button behind the handles and pull upwards. To lower the handles, do the opposite (fig. b).
- 7 **SWIVEL WHEELS:** In order to make the wheels swivel, the lever (arrow 1) must be lowered. To secure the wheels, move the lever to the opposite direction (arrow 2). The rear wheels are fixed.
BRAKE: To set the brake on the stroller, lower the lever on the rear wheel unit with your foot. To release the brake, lift the lever (fig_b). When stationary, always apply the brake.
- 8 **HOOD:** To fit the hood, click the fasteners onto the appropriate points until you hear them click (fig_a). Fasten the two side buttons as shown (fig_b - c). Finally, button down the hood on the rear of the stroller's backrest (fig_d).
- 9 The hood can be adjusted into several positions by simply pulling it backwards or forwards.
The hood includes a loop to be used to hang your child's favourite toy.
- 10 **5-POINT SAFETY HARNESS:** to fasten, insert the two buckles of the waist strap (with attached shoulder straps, arrow a) into the leg divider strap until they click into place (arrow b). To unfasten them, press the button which is situated in the centre of the fastener (arrow c) and pull the waist strap outwards (arrow d).
- 11 To tighten the waist strap, pull on both sides in the direction of the arrow. To loosen it do the opposite.
- 12 It is possible to set the safety harness at 3 different heights, depending on how tall the child is. As the child gets bigger, the harness must be moved to a higher position.
- 13 To adjust the height of the safety harnesses, release the two buckles on the rear of the backrest.
Pull the shoulder straps towards you (arrow a) until the buckles are released and insert them in the backrest loops (arrow b). Remove the shoulder straps from the sack (arrow c) and insert them in the most appropriate buckle (arrow d), then reattach the two buckles behind the backrest (arrow e). The buckles are securely attached when a click is heard (fig f).
- 14 **LEG REST ADJUSTMENT:** The leg rest can be set in 2 different positions. To lower the leg rest, pull the two side levers downwards and at the same time lower the leg rest. To raise the leg rest, push it upwards until it clicks into position (fig_a).
BACKREST ADJUSTMENT: to adjust the backrest, lift the handle and recline it to the desired position. The backrest can be adjusted into different positions (fig_b).
- 15 **FOLDING UP:** pull one lever followed by the second lever upwards until you hear them click (fig_a); then, hold the central handle (fig_b) and pull it upwards until the stroller folds up.
When folded, the stroller will stand upright (fig_c).
- 16 **CARRYING:** The stroller can be conveniently carried (with the front wheels set on stationary) by the central handle (fig_a). It can also be carried by the side handle (fig_b).
- 17 **REMOVABLE LINING:** to remove the lining from the stroller, unhook the fasteners on the rear of the backrest (fig_1), slip the fastener of the leg divider out from under the seat (fig_2), loosen the two screws (on both sides) using a screwdriver to keep the nut fastened (fig_3),
- 18 unhook the elastic from the chassis (fig_4), unhook the chassis (fig_5, see OPENING paragraph, point 1), slide the sack off the chassis (fig_6),
- 19 slide the sack off the footboard (fig_7).
and pull the sack upwards (fig_8).

SERIAL NUMBERS

- 20 The Stroller PLIKO MINI has all the following relevant information behind the backrest: product name, date of manufacture and serial number. This information is required for any complaints.

THE ORIGINAL ACCESSORY PEGPEREGO

PegPerego accessories are designed as a useful, practical means of simplifying the lives of parents. Discover all your product's accessories on www.pegperego.com

CLEANING AND MAINTENANCE

Cleaning must only be carried out by adults.

PRODUCT MAINTENANCE: protect from the weather: water, rain, or snow; prolonged and continuous exposure to bright sunlight may give rise to colour changes of various different materials; store this product in a dry place. The maintenance have to be regularly.

CLEANING THE CHASSIS: periodically clean all plastic parts with a damp cloth. Do not use solvent or similar cleaning products; keep all metal parts dry to prevent rusting; keep moving parts clean (adjustment mechanisms, locking mechanisms, wheels, ...) and free of dust and sand and, if necessary, lubricate with light machine oil.

CLEANING FABRIC PARTS: Brush the fabric parts to remove dust.

- When washing, closely follow the instructions stated on the label sewn into the cover.
- Do not use chlorine bleach.
- Do not iron.
- Do not dry clean.
- Do not remove stains with solvents.
- Do not tumble dry.

PEGPEREGO S.p.A.

PegPerego SpA adopts a quality management system certified by TÜV Italia Srl in accordance with the ISO 9001 standard. PegPerego can make changes at any time to the models described in this publication for technical or commercial reasons.

PEGPEREGO AFTER-SALES SERVICE

If any parts of the item get lost or damaged, only use genuine PegPerego spare parts. For any repairs, replacements, information on the products and sales of genuine spare parts and accessories, contact the PegPerego Assistance Service and state the serial number of the product, if present.

tel. 0039/039/60.88.213

e-mail assistenza@pegperego.com

website www.pegperego.com

All intellectual property rights on the contents of this manual are property of PegPerego S.p.A. and are protected by the laws in force.

ومن الممكن أن تقوم شركة PegPerego بإجراء تغييرات في أي وقت على الموديلات الواردة في هذا الكتيب لأسباب فنية أو تجارية

IT Italiano

Dichiarazione di conformità

- Denominazione del prodotto: PLIKO MINI
- Codice identificativo del prodotto: IPKR2800*
- Normative di riferimento (origine): EN1888-2:2018
EN 71-2:2011+A1:2014 EN 71-3:2013+A1:2014 Regolamento (CE) N. 1907/2006 - All. XVII pt. 16,17,43,51,52 (REACH)
- Dichiarazione di conformità: La PegPerego S.p.A. dichiara sotto la propria responsabilità che l'articolo in oggetto è stato sottoposto a test di collaudo interni e omologato secondo le normative vigenti presso laboratori esterni ed indipendenti.
- Data e luogo di rilascio: Arcore, Settembre 2018
PegPerego S.p.A. Via De Gasperi, 50 20862 Arcore (MB), ITALY

EN English

Declaration of conformity

- Product name: PLIKO MINI
- Product reference number: IPKR2800*
- Reference Standards (origin): EN1888-2:2018
EN 71-2:2011+A1:2014 EN 71-3:2013+A1:2014 Regolamento (CE) N. 1907/2006 - All. XVII pt. 16,17,43,51,52 (REACH)
- Declaration of conformity: La PegPerego S.p.A. dichiara sotto la propria responsabilità che l'articolo in oggetto è stato sottoposto a test di collaudo interni e omologato secondo le normative vigenti presso laboratori esterni ed indipendenti.
- Date and place of issue: Arcore, September 2018
PegPerego S.p.A. Via De Gasperi, 50 20862 Arcore (MB), ITALY

FR Français

Declaration du conformité

- Denomination du produit: PLIKO MINI
- Identification du produit: IPKR2800*
- Standard du referiment (origin): EN1888-2:2018
EN 71-2:2011+A1:2014 EN 71-3:2013+A1:2014 Regolamento (CE) N. 1907/2006 - All. XVII pt. 16,17,43,51,52 (REACH)
- Declaration du conformité: La PegPerego S.p.A. dichiara sotto la propria responsabilità che l'articolo in oggetto è stato sottoposto a test di collaudo interni e omologato secondo le normative vigenti presso laboratori esterni ed indipendenti.
- Date et lieu du publication: Arcore, septembre 2018
PegPerego S.p.A. Via De Gasperi, 50 20862 Arcore (MB), ITALY

DE Deutsch

Konformitätserklärung

- Bezeichnung des Produktes: PLIKO MINI
- Kennzeichnungscode des Produktes: IPKR2800*
- Bezugsbestimmungen (Ursprung): EN1888-2:2018
EN 71-2:2011+A1:2014 EN 71-3:2013+A1:2014 Regolamento (CE) N. 1907/2006 - All. XVII pt. 16,17,43,51,52 (REACH)
- Konformitätserklärung: La PegPerego S.p.A. dichiara sotto la propria responsabilità che l'articolo in oggetto è stato sottoposto a test di collaudo interni e omologato secondo le normative vigenti presso laboratori esterni ed indipendenti.
- Datum und Ort der Ausstellung: Arcore, September 2018
PegPerego S.p.A. Via De Gasperi, 50 20862 Arcore (MB), ITALY

ES Español

Declaración de conformidad

- Denominación del producto: PLIKO MINI
- Código de identificación del producto: IPKR2800*
- Normativas de referencia (origen): EN1888-2:2018
EN 71-2:2011+A1:2014 EN 71-3:2013+A1:2014 Regolamento (CE) N. 1907/2006 - All. XVII pt. 16,17,43,51,52 (REACH)
- Declaración de conformidad: La PegPerego S.p.A. dichiara sotto la propria responsabilità che l'articolo in oggetto è stato sottoposto a test di collaudo interni e omologato secondo le normative vigenti presso laboratori esterni ed indipendenti.
- Fecha y lugar de expedición: Arcore, septiembre del 2018
PegPerego S.p.A. Via De Gasperi, 50 20862 Arcore (MB), ITALY

خدمة ما بعد البيع الخاص بشركة PegPerego
في حالة فقدان أو تلف أي جزء من أجزاء المنتج. استخدم فقط
قطع الغيار الأصلية من Peg Pérego. وعند الحاجة لأي تصليح
أو استبدال. وللحصول على معلومات بخصوص المنتجات. أو بيع
قطع غيار أصلية أو اكسسوارات. يرجى الاتصال بخدمة ما بعد
البيع الخاص بشركة Peg Pérego مع توضيح الرقم التسلسلي
للمنتج إن وجد.

التليفون : 0039/039/60.88.213

الرقم المجاني: 414.147/800

الفاكس 0039/039/33.09.992

البريد الإلكتروني assistenza@pegperego.com

موقع الانترنت www.pegperego.com

عربي - تمتلك pegperego - شركة مساهمة - جميع حقوق
الملكية الفكرية الموجودة في هذا الكتيب. والتي يحميها القانون.

PEGPEREGO S.p.A.

VIA DE GASPERI 50 20862 ARCORE MB ITALIA

tel. 0039 039 60881

Servizio Post Vendita - After Sale:

tel. 0039 039 6088213



PEGPEREGO U.S.A. Inc.

3625 INDEPENDENCE DRIVE FORT WAYNE INDIANA 46808

phone 260 482 8191 fax 260 484 2940

Call us toll free: 1 800 671 1701

PEGPEREGO CANADA Inc.

585 GRANITE COURT PICKERING ONTARIO CANADA L1W3K1

phone 905 839 3371 fax 905 839 9542

Call us toll free: 1 800 661 5050

www.pegperegogo.com

Tutti i diritti di proprietà intellettuale relativi ai contenuti di questo manuale d'istruzione appartengono a PegPerego S.p.A. e sono tutelati dalle leggi vigenti.

All of the intellectual property rights for the contents of this instruction manual belong to PegPerego S.p.A. and are protected by the laws in force.

PegPerego

pliko mini

FI002201I123