## **Cleaning Instruction**

Simply use a soft damp cloth to wipe gate, dry after cleaning. Do not use chemical or abrasive cleaners.


#### **Warranty service**

One-Year Limited Warranty

The retractable baby gate includes a 1-year limited warranty against defects from the date of purchase.

NOTE: This warranty does not cover misuse, abuse, abnormal wear and tearnegligence, environental exposure, alterations, or accidents. Any alteration or removal of the products date code invalidates all claims against the manufacturer.

Supplied by Baby Factory (NZ) Ltd www.babyfactory.co.nz



# Retractable Baby Gate Instruction Manual

# TABLE OF CONTENTS

SAFETY INFORMATION Warning 01
WHAT'S IN THE BOX Assembly Parts 02-03
Installation wall optional 04 Installation place optional 04 Installation preparation 05 Installation sequence 05-07
OPERATION  How to Open and Lock 07-09  Cleaning Instruction 10


# **AWARNING**

- 1. Children have died or been seriously injured when gate is not securely installed.
- 2. ALWAYS install and use gate as directed using all required parts.
- 3. You MUST install hardware to keep gate in place. Without hardware, child can push out and escape.
- 4. STOP using when a child can climb over or dislodge the gate.
- 5. NEVER use to keep child away from pool.
- 6. Safety barrier is suitable for use with children from 6 months up to 24 months of age.
- 7. The product is not to be used with a child able to climb over or dislodge/open the gate.
- 8. Minimum width of opening is 50cm. Maximum width of opening is **140/180cm**.
- 9. Clean the surface with dry cloth.
- 10. The safety gate retracts very quickly, please be careful not to pinch your hands or babies.
- 11. The safety barrier must no be fitted across windows.

## **Assemble Parts**



Upper & bottom fixed buckle \*4



Gate skirting board gasket \*4



Bottom fixing mount \*2



Hard wall screw \*10



Upper fixing mount \*2



Wooden screw \*10


## **Assemble Parts**



Expansion pipe \*20



Retractable baby gate \*1



Making guide (L) \*1



Making guide (R) \*1

Manual \*1


# Installation Wall Optional

- ☑ Solide timber
- ☑ Brick
- ☑ Masonry

- ☑ Plaster only



Wood Mounting Installed by Screws Only



Hard Wall Mounting Installed By Screw + Expansion Pipe



**Drywall Mounting**Do Not Mount In Drywal
Without Expansion Pipe

# **Installation Place Optional**



1. Inner of the door frame.



2. Outside of the door frame.




3. Bottom of the stairs.

# **Installation Preparation**


- 1. Tools preparation: 1 set of retractable baby gate, pencil, screwdriver, electric drill.
- 2. Measurement preparation: measure the width of the door and make sure that the baby gate can be installed normally.

# **Installation Sequence**

1. Dill holes according to the screw hole position shown on the marking guide.




2. Choose the appropriate screws to install the fixing buckles and fixing hook.



3. Choose a right skirting basket according to the actual thickness of the skirting board.





# **Operation**

#### **How to Lock**






1. Press the button to unlock


2. Pull the mesh


with one hand





## How to open





1. Press the button

2. Push the button down



## How to remove





Press the buttons at the top of the gate and take it out.

#### **Cleaning Instruction**

Simply use a soft damp cloth to wipe gate, dry after cleaning. Do not use chemical or abrasive cleaners.


#### **Warranty service**

One-Year Limited Warranty

The retractable baby gate includes a 1-year limited warranty against defects from the date of purchase.

NOTE: This warranty does not cover misuse, abuse, abnormal wear and tearnegligence, environental exposure, alterations, or accidents. Any alteration or removal of the products date code invalidates all claims against the manufacturer.

Supplied by Baby Factory (NZ) Ltd www.babyfactory.co.nz



# Retractable Baby Gate Instruction Manual